

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



Classings Through February 1, 2007

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through February 1, 2007

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	3	14	382	2,850	10,030	28,108	59,964	115,357	216,708
	3	-	39	567	3,866	14,171	45,460	115,232	243,393	422,728
	4	-	26	173	594	1,410	3,255	7,776	16,299	29,533
	5	-	2	8	39	134	198	464	653	1,498
	6	-	-	-	1	6	13	8	30	58
	7	-	-	-	-	-	-	-	-	-
TOTAL----		3	81	1,130	7,350	25,751	77,034	183,444	375,732	670,525
31	1-2	7	9	53	547	4,578	21,417	50,029	70,069	146,709
	3	1	44	391	3,782	32,752	192,404	625,053	1,239,618	2,094,045
	4	-	41	247	1,447	7,362	34,629	117,791	307,376	468,893
	5	-	20	81	138	971	4,018	11,571	17,190	33,989
	6	-	-	3	7	33	268	986	1,262	2,559
	7	-	-	-	2	-	13	39	46	100
TOTAL----		8	114	775	5,923	45,696	252,749	805,469	1,635,561	2,746,295
41	1-2	1	1	7	78	796	3,179	6,592	7,772	18,426
	3	-	8	94	1,428	13,731	90,688	339,865	738,015	1,183,829
	4	-	24	196	1,708	8,672	50,476	202,827	580,821	844,724
	5	-	31	92	582	2,422	11,400	31,529	69,410	115,466
	6	-	9	15	153	496	1,872	3,721	6,338	12,604
	7	-	-	5	18	92	258	460	537	1,370
TOTAL----		1	73	409	3,967	26,209	157,873	584,994	1,402,893	2,176,419
51	1-2	-	-	-	11	65	151	296	343	866
	3	-	-	6	67	814	4,040	12,162	24,095	41,184
	4	-	-	8	132	1,050	4,483	14,238	34,194	54,105
	5	-	-	11	59	382	1,957	5,160	9,894	17,463
	6	-	-	2	11	123	500	958	1,717	3,311
	7	-	-	1	5	40	143	104	177	470
TOTAL----		-	-	28	285	2,474	11,274	32,918	70,420	117,399
61	1-2	-	-	-	-	1	1	5	2	9
	3	-	-	-	5	15	76	116	205	417
	4	-	-	1	8	51	76	163	266	565
	5	-	-	-	11	31	34	58	133	267
	6	-	-	-	9	28	13	22	43	115
	7	-	-	-	-	1	1	3	3	8
TOTAL----		-	-	1	33	127	201	367	652	1,381
71	1-2	-	-	-	-	2	-	-	1	3
	3	-	-	-	-	-	3	2	6	11
	4	-	-	1	-	1	2	1	3	8
	5	-	-	-	-	1	-	1	2	4
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	1	-	1
TOTAL----		-	-	1	-	4	5	5	12	27
12 & 22	1-2	-	21	394	1,519	3,193	4,371	3,986	4,319	17,803
	3	2	185	1,047	2,581	5,664	8,217	9,416	11,567	38,679
	4	1	62	308	559	1,189	1,685	2,138	2,729	8,671
	5	-	14	48	82	219	455	366	307	1,491
	6	-	1	-	8	15	60	24	20	128
	7	-	-	-	-	-	5	-	-	5
TOTAL----		3	283	1,797	4,749	10,280	14,793	15,930	18,942	66,777
32	1-2	-	2	21	157	495	1,026	1,006	907	3,614
	3	6	94	381	1,456	6,459	16,273	24,468	30,230	79,367
	4	2	73	350	737	2,947	8,258	14,795	21,225	48,387
	5	-	41	162	290	569	1,151	1,588	2,290	6,091
	6	-	13	46	83	107	225	309	244	1,027
	7	-	7	5	17	35	52	45	25	186
TOTAL----		8	230	965	2,740	10,612	26,985	42,211	54,921	138,672
42	1-2	-	2	7	26	120	287	286	234	962
	3	-	9	85	523	3,005	9,485	17,251	24,753	55,111
	4	-	20	137	815	3,551	13,604	27,986	47,617	93,730
	5	-	22	106	368	1,109	3,426	6,499	12,170	23,700
	6	-	12	51	122	243	531	817	1,091	2,867
	7	-	2	13	53	92	192	218	133	703
TOTAL----		-	67	399	1,907	8,120	27,525	53,057	85,998	177,073
52	1-2	-	-	1	-	8	6	15	11	41
	3	-	-	7	22	76	327	689	1,141	2,262
	4	-	3	17	57	194	962	2,178	3,704	7,115
	5	1	19	35	53	127	474	1,303	2,187	4,199
	6	3	33	19	20	50	122	227	401	875
	7	3	36	-	5	27	60	72	79	282
TOTAL----		7	91	79	157	482	1,951	4,484	7,523	14,774

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through February 1, 2007

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	1	2	1	1	5
	3	-	-	-	-	2	7	16	28	53
	4	-	-	-	-	2	10	25	75	112
	5	-	-	1	-	1	1	13	58	74
	6	-	3	1	-	-	1	8	13	26
	7	3	3	2	-	7	5	1	2	23
TOTAL----		3	6	4	-	13	26	64	177	293
13 & 23	1-2	-	3	20	77	153	224	246	383	1,106
	3	1	17	71	165	442	673	791	1,038	3,198
	4	-	8	17	55	145	174	176	198	773
	5	-	1	2	16	47	72	49	25	212
	6	-	-	1	2	28	12	8	5	56
	7	-	-	-	-	-	5	-	-	5
TOTAL----		1	29	111	315	815	1,160	1,270	1,649	5,350
33	1-2	-	2	10	29	84	123	206	262	716
	3	2	55	107	249	692	1,333	2,335	3,794	8,567
	4	-	48	127	143	367	596	906	1,519	3,706
	5	1	25	109	82	99	179	223	252	970
	6	1	13	53	43	31	34	49	46	270
	7	-	1	5	13	19	10	9	5	62
TOTAL----		4	144	411	559	1,292	2,275	3,728	5,878	14,291
43	1-2	-	-	7	6	21	37	78	121	270
	3	-	9	20	51	364	1,463	3,613	6,811	12,331
	4	-	3	22	109	481	1,124	2,441	5,325	9,505
	5	-	36	70	67	145	289	501	732	1,840
	6	-	37	79	78	68	106	97	135	600
	7	-	13	31	44	22	24	32	33	199
TOTAL----		-	98	229	355	1,101	3,043	6,762	13,157	24,745
53	1-2	-	-	-	-	3	2	-	3	8
	3	-	-	1	4	43	107	286	579	1,020
	4	-	-	2	6	57	210	467	1,109	1,851
	5	-	1	1	11	36	67	203	397	716
	6	-	1	1	1	9	17	59	105	193
	7	-	-	-	1	2	8	12	12	35
TOTAL----		-	2	5	23	150	411	1,027	2,205	3,823
63	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	2	7	6	15
	4	-	-	-	-	1	3	10	45	59
	5	-	-	-	-	-	-	5	16	21
	6	-	1	-	-	1	2	3	9	16
	7	-	-	-	-	-	-	-	2	2
TOTAL----		-	1	-	-	2	7	25	78	113
24-54	1-7	-	8	47	120	379	930	2,054	3,707	7,245
25-35	1-7	-	-	-	-	2	1	-	3	6
81-85 1/	1-7	1	11	4	9	32	109	263	500	929
All Colors	8 2/	3	15	15	23	155	327	430	285	1,253
TOTAL, ALL----		42	1,253	6,410	28,515	133,696	578,679	1,738,502	3,680,293	6,167,390

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through February 1, 2007

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	204,918	290,454	276,337	74,234	29,397	9,809	1,101,857
	3	421,515	583,602	655,732	188,356	49,480	12,187	2,333,600
	4	33,950	52,395	59,797	19,267	5,757	919	201,618
	5	1,194	1,806	1,852	464	82	11	6,907
	6	35	54	49	6	1	-	203
	7	1	-	1	-	-	-	2
TOTAL----		661,613	928,311	993,768	282,327	84,717	22,926	3,644,187
31	1-2	76,256	78,465	68,607	28,160	22,503	9,961	430,661
	3	1,358,080	962,390	629,689	182,057	76,298	32,656	5,335,215
	4	561,971	561,243	364,471	88,099	24,520	5,592	2,074,789
	5	28,661	37,416	35,398	9,817	2,473	467	148,221
	6	1,420	1,876	1,808	512	77	9	8,261
	7	49	61	71	12	3	-	296
TOTAL----		2,026,437	1,641,451	1,100,044	308,657	125,874	48,685	7,997,443
41	1-2	6,025	3,774	1,406	449	260	142	30,482
	3	837,499	486,637	163,358	15,968	5,521	2,428	2,695,240
	4	1,074,749	997,402	488,541	62,874	8,687	1,326	3,478,303
	5	128,569	151,018	109,281	22,804	3,805	624	531,567
	6	9,660	11,758	10,935	2,790	613	47	48,407
	7	808	976	1,003	242	157	13	4,569
TOTAL----		2,057,310	1,651,565	774,524	105,127	19,043	4,580	6,788,568
51	1-2	259	189	40	3	-	-	1,357
	3	27,479	18,406	5,769	481	24	8	93,351
	4	62,049	61,750	31,389	3,820	92	582	213,787
	5	16,393	17,407	11,859	2,271	209	20	65,622
	6	2,850	3,045	2,023	391	53	9	11,682
	7	384	735	554	38	15	7	2,203
TOTAL----		109,414	101,532	51,634	7,004	559	59	387,601
61	1-2	5	2	2	-	-	-	18
	3	291	209	48	6	4	1	976
	4	386	460	433	34	4	-	1,882
	5	153	119	164	15	1	-	719
	6	30	33	12	2	1	-	193
	7	6	4	5	-	1	-	24
TOTAL----		871	827	664	57	11	1	3,812
71	1-2	-	1	1	-	-	-	5
	3	7	7	2	-	-	-	27
	4	4	22	16	2	-	-	52
	5	1	6	29	2	-	-	42
	6	-	-	3	-	-	-	3
	7	-	-	-	-	-	-	1
TOTAL----		12	36	51	4	-	-	130
12 & 22	1-2	5,539	5,250	2,768	444	85	27	31,916
	3	16,366	15,937	10,042	1,819	363	119	83,325
	4	4,136	4,502	2,669	588	74	7	20,647
	5	459	385	287	37	5	1	2,665
	6	23	11	3	-	-	-	165
	7	-	-	-	-	-	-	5
TOTAL----		26,523	26,085	15,769	2,888	527	154	138,723
32	1-2	891	676	872	362	193	88	6,696
	3	28,184	19,540	11,401	2,814	1,528	871	143,705
	4	25,482	19,123	10,677	2,261	712	308	106,950
	5	3,616	3,273	2,195	404	140	83	15,802
	6	356	340	246	48	3	2	2,022
	7	26	13	13	2	3	-	243
TOTAL----		58,555	42,965	25,404	5,891	2,579	1,352	275,418
42	1-2	155	114	101	65	45	17	1,459
	3	25,305	16,941	6,046	754	524	221	104,902
	4	60,803	51,504	24,752	2,705	607	228	234,329
	5	15,391	14,399	9,204	1,481	310	108	64,593
	6	1,553	1,482	1,251	223	31	14	7,421
	7	220	192	165	34	1	2	1,317
TOTAL----		103,427	84,632	41,519	5,262	1,518	590	414,021
52	1-2	10	5	8	-	1	1	66
	3	1,677	1,474	628	57	7	1	6,106
	4	5,837	6,366	4,130	437	22	3	23,910
	5	2,973	3,189	2,427	460	43	9	13,300
	6	591	600	462	76	15	3	2,622
	7	159	196	187	17	3	-	844
TOTAL----		11,247	11,830	7,842	1,047	91	17	46,848

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through February 1, 2007

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	1	-	1	-	-	-	2
	3	29	19	15	2	2	-	67
	4	256	495	503	82	3	-	1,339
	5	111	245	205	33	-	-	594
	6	21	14	4	-	-	-	39
	7	26	4	1	-	-	-	31
TOTAL----		444	777	729	117	5	-	2,072
13 & 23	1-2	492	517	443	55	3	-	1,510
	3	1,388	1,618	1,052	196	20	1	4,275
	4	281	269	134	52	10	-	746
	5	42	26	16	2	-	-	86
	6	2	1	-	-	-	-	3
	7	-	-	-	-	-	-	-
TOTAL----		2,205	2,431	1,645	305	33	1	6,620
33	1-2	257	305	331	64	15	23	995
	3	4,968	4,979	3,871	814	226	77	14,935
	4	2,396	2,612	1,989	424	120	26	7,567
	5	379	328	274	54	12	2	1,049
	6	51	36	25	6	-	-	118
	7	3	-	2	-	-	-	5
TOTAL----		8,054	8,260	6,492	1,362	373	128	24,669
43	1-2	92	53	34	4	3	4	190
	3	7,166	5,207	2,502	359	135	46	15,415
	4	8,009	8,468	5,245	758	148	93	22,721
	5	1,037	1,207	876	157	28	56	3,361
	6	152	191	118	26	3	17	507
	7	43	38	11	1	-	4	97
TOTAL----		16,499	15,164	8,786	1,305	317	220	42,291
53	1-2	7	1	8	-	-	-	16
	3	689	587	251	19	5	2	1,553
	4	1,852	1,901	1,063	160	23	1	5,000
	5	496	703	514	90	12	-	1,815
	6	103	111	96	3	2	1	316
	7	11	32	26	3	-	-	72
TOTAL----		3,158	3,335	1,958	275	42	4	8,772
63	1-2	1	2	2	-	-	-	5
	3	12	21	9	1	1	1	45
	4	94	129	203	52	-	-	478
	5	35	59	112	11	-	-	217
	6	10	2	9	1	-	-	22
	7	1	1	9	-	-	-	11
TOTAL----		153	214	344	65	1	1	778
24-54	1-7	3,877	3,313	2,021	378	60	45	9,694
25-35	1-7	17	20	1	1	-	-	39
81-85 1/	1-7	563	358	207	41	1	1	1,171
All Colors	8 2/	209	240	207	49	1	-	706
TOTAL, ALL----		5,090,588	4,523,346	3,033,609	722,162	235,752	78,764	13,684,221
EXTRANEIOUS MATTER		Average Staple -----						
Bark - Level 1		Percent Tenderable -----						
Bark - Level 2								
Grass - Level 1								
Grass - Level 2								
Prep - Level 1								
Prep - Level 2								
Other - Level 1								
Other - Level 2								

19,851,611 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- *United States*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	*	0.1	0.3	0.6	1.0	1.5	1.4	0.4	0.1	*	5.6
	3	-	*	*	*	0.1	0.2	0.6	1.2	2.1	2.9	3.3	0.9	0.2	0.1	11.8
	4	-	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.0
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	*	*	*	*	0.1	0.4	0.9	1.9	3.3	4.7	5.0	1.4	0.4	0.1	18.4
31	1-2	*	*	*	*	*	0.1	0.3	0.4	0.4	0.4	0.3	0.1	0.1	*	2.2
	3	*	*	*	*	0.2	1.0	3.1	6.2	6.8	4.8	3.2	0.9	0.4	0.2	26.9
	4	-	*	*	*	*	0.2	0.6	1.5	2.8	2.8	1.8	0.4	0.1	*	10.5
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	*	0.7
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	0.2	1.3	4.1	8.2	10.2	8.3	5.5	1.6	0.6	0.2	40.3
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	0.1	0.5	1.7	3.7	4.2	2.5	0.8	0.1	*	*	13.6
	4	-	*	*	*	*	0.3	1.0	2.9	5.4	5.0	2.5	0.3	*	*	17.5
	5	-	*	*	*	*	0.1	0.2	0.3	0.6	0.8	0.6	0.1	*	*	2.7
	6	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.1	0.8	2.9	7.1	10.4	8.3	3.9	0.5	0.1	*	34.2
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.1
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.4	0.6	0.5	0.3	*	*	*	2.0
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL----	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	*	0.7
	4	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.4
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	1.2
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	*	*	*	2.1
52	1-2	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2

* Less than 0.05 percent.

Table 2. -- **United States** : Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	*	*	-	-	*	*	*	*	*	*	*	-	-	*
	7	*	*	*	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	*	*	*	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	*	*	*	*	*	*	*	*	-	*	-	-	-	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	*	*
	TOTAL----	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
53	1-2	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	*	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	*	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL-----		*	*	*	0.1	0.7	2.9	8.8	18.5	25.6	22.8	15.3	3.6	1.2	0.4	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		5.0														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

19,851,611 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	3	-	-	*	*	0.1	0.4	0.6	0.9	0.7	0.2	*	*	*	-	3.1
	4	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.2	0.6	0.9	1.3	0.9	0.3	0.1	*	*	-	4.3
31	1-2	-	-	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	*	0.1	0.9	3.7	8.5	11.8	7.8	2.4	0.5	*	*	-	35.6
	4	-	*	*	*	0.2	0.7	1.6	2.7	2.6	1.1	0.3	*	*	-	9.3
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	*	*	0.1	1.2	4.8	10.8	15.1	10.7	3.7	0.8	*	*	*	47.2
41	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	*	*	0.1	0.6	2.4	5.7	7.3	4.4	1.3	0.2	*	-	-	22.0
	4	-	-	*	0.1	0.4	1.1	2.8	4.3	3.6	1.5	0.5	*	*	-	14.3
	5	-	-	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	0.2	1.0	3.8	8.9	12.1	8.4	3.1	0.8	0.1	*	-	38.3
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	-	-	-	0.6
	4	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	-	-	1.4
61	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	-	-	*	-	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	-	0.3
	4	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	-	0.5
32	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	0.1	0.4	0.7	0.6	0.4	0.2	*	*	*	*	-	2.4
	4	-	*	*	*	0.2	0.4	0.4	0.2	0.1	*	*	*	-	-	1.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	0.1	0.6	1.2	1.0	0.6	0.3	0.1	*	*	*	-	4.0
42	1-2	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	-	-	-	1.4
	3	-	*	*	*	0.2	0.3	0.4	0.4	0.2	0.1	*	*	-	-	1.7
	4	-	-	*	*	*	*	0.1	0.1	*	*	*	-	*	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	-	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	0.1	0.4	0.7	0.9	0.7	0.4	0.1	*	*	*	-	3.3
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																	
Bark - Level 1		1.3															
Bark - Level 2		*															
Grass - Level 1		0.7															
Grass - Level 2		*															
Prep - Level 1		0.2															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

668,037 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.9	6.8	12.2	12.3	2.9	0.7	0.1	37.0
	3	-	-	-	-	*	*	0.1	0.7	2.5	5.6	7.6	2.3	0.6	0.1	19.5
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.3	2.6	9.4	18.0	20.1	5.3	1.3	0.1	57.2
31	1-2	-	-	-	-	*	*	0.1	0.7	3.1	5.0	4.2	1.0	0.2	*	14.4
	3	-	-	-	-	*	*	0.1	0.6	2.9	6.2	7.1	2.4	0.6	0.1	20.0
	4	-	-	-	-	*	*	*	0.2	0.3	0.6	0.7	0.3	0.1	*	2.2
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.6	6.3	11.9	12.1	3.7	1.0	0.1	36.9
41	1-2	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.4	0.1	*	*	2.0
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.5	0.4	0.1	*	-	-	1.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	0.7
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.2	0.8	0.7	0.2	*	*	-	2.0
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	-	-	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	0.9
42	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	-	-	*	0.1	0.8	5.1	17.5	31.6	33.0	9.2	2.3	0.3	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.1															
Bark - Level 2	*															
Grass - Level 1	0.3															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.2															
Other - Level 1	*															

472,385 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. — *Arkansas*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	3	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.2	*	*	-	1.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	0.1	0.4	0.8	0.6	0.2	*	*	-	2.1
31	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.8
	3	-	-	-	*	*	0.1	0.8	4.6	9.7	7.6	2.7	0.1	*	*	25.7
	4	-	-	-	*	*	*	0.2	1.3	4.9	5.6	2.3	0.1	*	*	14.4
	5	-	-	-	*	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	0.2	1.1	6.2	15.0	13.5	5.0	0.2	*	*	41.3
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.1	0.7	3.1	5.9	4.2	1.2	*	*	-	15.3
	4	-	-	-	*	*	0.1	0.6	3.4	11.3	11.6	3.9	0.2	*	*	31.3
	5	-	-	-	-	*	*	0.1	0.4	1.0	1.4	0.7	0.1	*	*	3.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	*	0.2	1.5	7.0	18.3	17.3	5.8	0.3	*	*	50.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.5	0.6	0.2	*	-	-	1.5
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	-	-	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	-	*	*	0.1	0.3	0.8	0.9	0.3	*	*	*	2.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	4	-	-	-	*	*	0.1	0.1	0.3	0.4	0.3	0.1	*	*	-	1.4
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	0.1	0.2	0.5	0.7	0.5	0.2	*	*	*	2.3
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEOUS MATTER																
Bark - Level 1	0.1															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

2,416,749 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California** : Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.8	2.1	4.1	6.1	4.0	3.0	1.2	21.6
	3	-	-	-	-	-	-	*	0.3	0.7	2.5	6.2	3.0	1.6	1.1	15.4
	4	-	-	-	-	-	-	-	-	*	-	0.2	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	1.1	2.8	6.7	12.4	7.0	4.7	2.3	37.3
31	1-2	-	-	-	-	*	*	0.2	0.6	1.6	2.4	3.2	2.6	2.8	1.3	14.8
	3	-	-	-	-	*	*	0.1	0.3	1.2	4.5	10.4	7.8	6.8	4.0	35.1
	4	-	-	-	-	-	-	*	*	0.1	0.4	1.8	1.3	0.7	0.4	4.8
	5	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.3	1.0	2.9	7.4	15.5	11.8	10.4	5.7	55.1
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.6	0.6	0.3	2.7
	4	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.3	0.3	0.1	1.7
	5	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	0.1	*	0.7
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.4	0.9	1.5	1.1	1.0	0.5	5.7
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	0.8
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	0.1	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	0.5
52	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. — *California*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY		LEAF	STAPLE														TOTAL	
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	*			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	*			
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	*			
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	*			
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	*			
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	*			
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	*			
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	*			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	*			
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*			
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*			
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	0.1			
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*			
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*			
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*			
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*			
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*			
	7	-	-	-	-	-	-	-	-	*	-	-	-	*	*			
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	0.1			
53	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	*			
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*			
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*			
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*			
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	*			
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	*			
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*			
63	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	*			
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	*			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	*			
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*			
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	-	*	*			
All Colors	8 2/	-	-	-	-	-	-	-	*	-	-	-	-	-	*			
TOTAL, ALL----		-	-	-	-	*	0.1	0.6	2.2	6.2	15.3	29.9	20.3	16.5	8.8	100.0		
EXTRANEEOUS MATTER																Average Staple	37.4	
																Percent Tenderable	93.7	
Bark - Level 1		0.3																
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

749,212 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	*	*	0.2	0.6	0.7	0.4	0.1	-	-	-	2.1
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.3	0.8	0.9	0.5	0.1	-	-	-	2.6
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.3	3.0	12.8	17.6	5.9	1.2	*	-	-	40.8
	4	-	-	-	-	*	*	0.2	1.4	3.0	2.0	0.5	*	-	-	7.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	3.4	14.5	20.8	7.9	1.8	*	-	-	48.8
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	3.0	11.9	13.0	3.1	0.5	*	-	-	31.8
	4	-	-	-	-	*	*	0.7	3.5	6.8	2.7	0.5	*	-	-	14.3
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.3	3.8	15.4	20.0	5.9	1.1	*	-	-	46.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.3	0.3	0.2	*	*	*	-	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 7. -- **Florida** : Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 1/2 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	*	*	0.1	0.8	7.7	31.3	42.3	14.7	3.0	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.9															
Bark - Level 2	-															
Grass - Level 1	0.4															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

146,317 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	*	*	0.1	0.5	0.8	0.5	0.1	*	*	-	-	2.0
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	0.6	0.9	0.6	0.1	*	*	-	-	2.4
31	1-2	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	*	-	-	1.0
	3	-	-	*	*	0.3	1.8	7.1	14.9	11.4	3.5	0.6	*	*	*	39.6
	4	-	-	*	*	*	0.1	0.5	1.6	2.4	1.5	0.5	*	*	*	6.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.3	2.0	8.0	16.8	14.0	5.1	1.1	*	*	*	47.3
41	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	0.2	1.1	4.9	10.5	8.5	2.5	0.4	*	*	*	28.1
	4	-	-	*	*	0.1	0.3	1.7	4.8	6.3	3.2	1.0	*	*	-	17.4
	5	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.2	*	*	-	1.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	0.2	1.5	6.8	15.5	15.1	6.1	1.7	0.1	*	*	47.0
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.8
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	-	1.7
61	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	-	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
42	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	*	*	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	-	-	*	*	*	*	-	*	-	-	-	-	*
33	1-2	-	-	-	*	*	-	*	*	*	*	-	-	-	-	-
	3	-	*	*	*	*	-	*	*	*	*	*	*	-	-	*
	4	-	*	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	*	*	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-
	3	-	*	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	-	*	*	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	*	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	*	*	0.1	0.6	4.0	15.9	34.2	30.5	11.7	2.9	0.1	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.4
		Percent Tenderable														73.3
Bark - Level 1	0.7															
Bark - Level 2	"															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

2,262,909 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.5	0.5	0.3	0.2	*	*	*	-	1.7
	3	-	*	*	*	0.2	0.4	1.4	1.9	2.5	1.1	0.4	0.1	*	*	8.1
	4	-	*	*	*	0.1	0.2	0.5	0.3	0.7	0.3	0.1	*	-	-	2.1
	5	-	*	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	0.1	0.3	0.8	2.5	2.8	3.4	1.5	0.5	0.1	*	*	12.0
31	1-2	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	1.1
	3	-	*	*	0.1	0.5	1.6	3.2	4.6	5.0	3.2	1.9	0.4	*	-	20.5
	4	-	*	0.1	0.3	0.9	2.4	6.2	3.7	3.7	2.1	1.1	0.3	*	-	20.7
	5	-	*	*	*	0.3	1.0	4.9	3.0	1.4	0.8	0.3	0.1	*	-	12.0
	6	-	-	*	*	*	0.1	0.6	0.6	0.2	0.2	*	*	*	-	1.6
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	0.2	0.4	1.7	5.1	15.2	12.3	10.4	6.4	3.4	0.8	*	-	55.9
41	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.2	0.5	0.4	0.4	0.3	0.1	*	-	-	1.9
	4	-	*	*	0.1	0.1	0.4	1.0	1.1	1.1	0.7	0.3	*	-	-	4.9
	5	-	*	*	0.2	0.3	0.8	1.7	1.6	1.0	0.8	0.2	*	*	-	6.7
	6	-	*	-	0.1	0.2	0.6	0.9	0.8	0.3	0.3	*	*	*	-	3.3
	7	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	*	-	-	0.8
TOTAL----		-	*	*	0.4	0.8	2.2	4.4	4.1	2.9	2.1	0.6	0.1	*	-	17.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	*	0.2	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	-	*	-	-	-	-	*
	7	-	-	-	*	*	0.1	*	*	-	*	-	-	-	-	0.1
TOTAL----		-	-	-	*	*	0.1	*	*	*	*	-	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	0.1	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	0.1	0.1	*	*	1.1
	4	-	-	*	*	*	*	0.1	*	0.1	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	*	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.2	0.5	0.3	0.2	*	0.1	0.1	0.1	*	1.6
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	*	*	*	0.1	0.3	0.4	0.7	0.6	0.5	0.3	*	*	3.0
	4	-	-	*	*	*	0.1	0.3	0.3	0.4	0.3	0.2	0.1	*	*	1.9
	5	-	-	*	*	0.1	0.1	0.2	0.1	0.1	0.1	0.1	*	*	-	0.9
	6	-	-	-	*	*	*	0.2	*	*	*	*	*	*	-	0.3
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	0.1	0.2	0.4	0.9	0.8	1.4	1.1	0.9	0.5	0.1	*	6.3
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	*	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.6
	5	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	*	*	*	-	0.8
	6	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
	7	-	-	-	*	*	*	0.1	*	*	*	*	*	*	-	0.3
TOTAL----		-	*	*	*	*	0.2	0.4	0.4	0.5	0.4	0.2	0.1	*	-	2.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	-	*	*	-	*	-	*
	3	-	-	-	-	*	*	*	*	-	*	*	-	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
33	1-2	-	-	-	-	*	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	-	1.0
	4	-	-	-	-	*	0.1	0.1	0.1	0.1	*	0.1	*	*	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.2	0.2	0.3	0.3	0.3	0.2	0.1	*	-	1.8
43	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	0.1	*	*	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	TOTAL----	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.9
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	0.1	0.1	*	*	0.1	*	-	-	0.3
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.6
TOTAL, ALL----		-	0.1	0.2	1.1	3.2	9.6	24.7	21.3	19.3	12.1	6.2	1.8	0.3	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	14.0															Average Staple 34.1
Bark - Level 2	-															Percent Tenderable 49.2
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

99,020 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	0.7	0.6	0.3	0.1	*	*	-	-	2.0
	3	-	-	-	*	0.1	0.5	1.4	1.8	1.0	0.4	0.1	*	-	-	5.4
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	0.8	2.2	2.5	1.3	0.5	0.1	*	*	-	7.5
31	1-2	-	-	-	*	0.1	0.3	0.9	0.8	0.3	0.1	*	*	-	-	2.4
	3	-	-	-	*	0.4	3.4	11.2	15.2	9.2	3.3	0.7	*	*	-	43.6
	4	-	-	-	*	*	0.3	1.2	2.5	2.7	1.5	0.5	*	*	-	8.8
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.6	4.1	13.3	18.6	12.3	5.0	1.3	0.1	*	-	55.2
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	0.1	0.8	3.4	5.4	3.4	1.1	0.2	*	*	-	14.3
	4	-	-	-	*	*	0.3	1.5	3.6	4.1	2.2	0.7	0.1	*	-	12.5
	5	-	-	-	*	*	0.1	0.1	0.3	0.5	0.4	0.2	0.1	*	*	1.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.2	1.2	5.1	9.4	8.0	3.7	1.2	0.1	*	*	28.8
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	4	-	-	-	*	*	*	0.1	0.4	0.5	0.2	0.1	*	-	*	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.2	0.7	0.7	0.3	0.2	*	*	*	2.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	-	1.5
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	*	-	-	0.8
	4	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	1.4
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	*	2.4
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3

* Less than 0.05 percent.

Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEEOUS MATTER																	
Bark - Level 1		0.1															
Bark - Level 2		-															
Grass - Level 1		0.5															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

1,256,995 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	*	*	0.1	0.5	1.1	1.5	1.0	0.3	*	*	-	-	4.6
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.8	1.7	2.0	1.2	0.4	*	*	-	-	6.3
31	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	-	-	1.6
	3	-	-	*	*	0.4	2.5	6.3	9.0	6.5	2.2	0.4	*	*	-	27.3
	4	-	-	-	*	0.1	0.5	1.7	3.5	3.8	1.8	0.4	*	*	*	11.9
	5	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	*	*	0.5	3.4	8.5	13.1	10.7	4.2	0.9	*	*	*	41.4
41	1-2	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	*	*	0.2	1.4	3.5	4.7	2.9	0.8	0.2	*	*	-	13.8
	4	-	-	*	*	0.1	1.1	3.6	7.2	7.1	3.1	0.7	0.1	*	*	23.0
	5	-	-	*	*	*	0.3	0.7	1.2	1.4	0.8	0.3	*	*	-	4.8
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	0.4	2.8	8.0	13.3	11.6	4.8	1.2	0.1	*	*	42.3
51	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
	5	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	0.2	0.4	0.5	0.4	0.2	*	*	*	-	-	1.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.1	*	*	*	*	*	-	-	-	0.2
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	-	1.3
	4	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	-	1.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.5	0.7	0.7	0.4	0.1	*	*	-	-	2.5
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	-	1.0
	4	-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	*	*	-	-	2.6
	5	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	0.1	0.6	1.1	1.4	0.9	0.3	*	*	-	-	4.6
52	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4

* Less than 0.05 percent.

2,029,359 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	0.4
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
31	1-2	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	*	*	*	0.4	3.1	6.5	3.9	0.3	*	-	14.2
	4	-	-	-	-	*	*	*	0.1	1.3	4.3	3.5	0.2	*	*	9.4
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.6	4.4	11.0	7.5	0.5	*	*	24.0
41	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	0.9	5.2	9.5	5.0	0.3	*	-	21.0
	4	-	-	-	-	*	*	*	0.5	4.7	16.0	14.4	1.7	0.2	*	37.5
	5	-	-	-	-	-	-	*	*	0.2	1.1	1.8	0.3	*	*	3.4
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	1.4	10.2	26.6	21.3	2.3	0.2	*	62.1
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	-	1.4
	4	-	-	-	-	-	*	*	0.1	0.5	1.6	1.1	0.1	-	-	3.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	1.0	2.4	1.6	0.2	*	*	5.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	*	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	-	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	*	-	*	*	*	0.2	0.3	0.3	*	*	*	0.9
42	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	-	1.5
	4	-	-	-	-	-	*	*	0.1	0.6	1.4	0.8	0.1	*	*	3.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.2	1.2	2.1	1.2	0.1	*	*	4.9
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.2	0.4	0.2	*	-	-	0.8

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
43	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.2	0.4	0.3	*	*	*	0.9
53	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.2
63	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	*	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	*	*	0.1	2.6	17.6	43.7	32.5	3.2	0.3	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.2															
Bark - Level 2	-															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	0.6															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

993,379 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.2	1.2	4.8	6.0	1.4	0.2	*	14.0
	3	-	-	-	-	-	*	-	0.2	0.7	2.6	7.1	3.3	0.9	0.1	14.9
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.2	0.1	1.0
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.5	2.0	7.5	13.3	4.9	1.3	0.2	29.8
31	1-2	-	-	-	-	-	-	-	0.1	1.1	3.7	6.3	1.6	0.2	*	13.0
	3	-	-	-	-	-	-	*	0.6	2.0	7.5	19.0	9.0	2.6	0.3	40.9
	4	-	-	-	-	-	-	*	0.3	0.5	1.2	2.9	2.5	1.6	0.6	9.5
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.3	0.2	0.1	1.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	1.0	3.7	12.5	28.5	13.3	4.5	1.0	64.5
41	1-2	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	-	-	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.4	0.2	*	2.0
	4	-	-	-	-	-	-	-	*	0.1	0.7	0.6	0.7	0.4	0.1	2.7
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.3	1.4	1.6	1.4	0.7	0.1	5.6
51	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 13. — *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	1.6	6.0	21.4	43.4	19.6	6.6	1.3	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.8															Average Staple
Bark - Level 2	-															Percent Tenderable
Grass - Level 1	0.6															37.0
Grass - Level 2	"															77.3
Prep - Level 1	"															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

36,584 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	0.1	0.6	2.5	4.2	2.6	0.7	0.1	*	*	10.7
	4	-	-	-	*	*	*	0.1	0.9	2.2	1.9	0.7	0.1	*	*	6.0
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.1	0.8	3.5	6.6	4.7	1.5	0.2	*	*	17.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.2	1.6	6.8	11.2	6.1	1.3	0.1	*	*	27.2
	4	-	-	-	*	*	0.1	1.0	5.7	14.3	12.7	4.3	0.5	*	*	38.6
	5	-	-	-	-	*	*	0.1	0.7	2.0	2.4	1.3	0.3	*	*	6.8
	6	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.3	2.7	13.2	27.6	21.4	7.0	0.9	0.1	*	73.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
	4	-	-	-	*	*	*	0.1	0.5	1.1	0.8	0.2	*	-	-	2.8
	5	-	-	-	-	*	*	*	0.2	0.4	0.3	0.2	*	*	*	1.1
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL----		-	-	-	*	*	0.3	1.1	1.9	1.4	0.5	0.1	*	*	-	5.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	*	1.4
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.5	0.9	0.7	0.3	*	*	*	2.6
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3

* Less than 0.05 percent.

Table 14. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	*	-	-	-	*		
TOTAL-----			-	-	-	-	-	-	*	*	*	*	-	-	-	*		
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	4		-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	5		-	-	-	-	-	-	*	*	-	*	-	-	-	*		
	6		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL-----			-	-	-	-	-	-	*	*	*	*	-	-	-	*		
33	1-2		-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	4		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	5		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6		-	-	-	-	-	-	-	*	-	*	-	-	-	*		
	7		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
TOTAL-----			-	-	-	-	-	*	*	*	*	*	*	-	-	*		
43	1-2		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	*	-	-	0.1		
	4		-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2		
	5		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL-----			-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3		
53	1-2		-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	4		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	5		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6		-	-	-	-	-	*	-	*	*	*	*	-	-	*		
	7		-	-	-	-	-	-	-	-	*	*	*	-	-	*		
TOTAL-----			-	-	-	-	*	*	*	*	*	*	*	-	-	*		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	*	-	-	-	-	-	*	-	-	-	-	*		
	4		-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL-----			-	-	-	-	-	-	-	*	*	-	-	-	-	*		
24-54	1-7		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
All Colors	8 2/		-	-	-	-	-	-	-	*	*	*	*	-	-	*		
TOTAL, ALL-----			-	-	*	*	*	0.5	4.1	18.6	37.5	28.6	9.4	1.2	0.1	*	100.0	
EXTRANEEOUS MATTER																	Average Staple	35.2
																	Percent Tenderable	84.1
Bark - Level 1			0.6															
Bark - Level 2			*															
Grass - Level 1			0.9															
Grass - Level 2			*															
Prep - Level 1			0.3															
Prep - Level 2			*															
Other - Level 1			*															
Other - Level 1			-															

1,256,905 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.3	0.9	2.2	3.6	4.8	1.2	0.1	*	13.2
	3	-	-	*	*	0.1	0.2	0.4	1.1	2.5	3.3	4.3	1.4	0.2	*	13.6
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.3	0.8	2.1	4.9	7.2	9.3	2.6	0.3	*	27.7
31	1-2	-	-	*	*	*	0.1	0.3	0.6	1.0	1.7	2.2	0.5	*	*	6.4
	3	-	*	*	0.1	0.3	0.7	1.5	3.1	5.0	7.3	11.2	3.8	0.6	*	33.8
	4	-	*	*	0.1	0.3	0.5	1.0	1.6	2.0	2.2	2.0	0.6	0.1	*	10.3
	5	-	*	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	*	*	1.7
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
TOTAL----		-	*	*	0.2	0.6	1.4	3.0	5.6	8.5	11.6	15.6	5.0	0.7	*	52.3
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	0.1	0.1	0.2	0.4	0.5	0.6	0.5	0.1	*	-	2.4
	4	-	*	*	*	0.2	0.4	0.6	0.7	0.8	0.7	0.6	0.1	*	*	4.1
	5	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.5	0.4	0.1	*	*	2.8
	6	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	*	*	0.1	0.4	0.8	1.3	1.7	1.9	1.9	1.6	0.3	0.1	*	10.1
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	0.1	*	*	*	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	-	-	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.6
	3	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	-	1.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.1	0.1	0.3	0.3	0.4	0.3	0.3	*	*	-	1.9
32	1-2	-	-	-	-	*	-	-	*	*	*	*	-	-	-	0.1
	3	-	*	*	*	*	0.1	0.2	0.3	0.4	0.4	0.2	*	*	*	1.8
	4	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.2	0.1	*	*	-	1.2
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	0.1	0.3	0.5	0.6	0.8	0.7	0.4	0.1	*	*	3.5
42	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	-	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.7
	5	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	0.6
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL----		-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.3	0.1	*	*	*	1.8
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	*	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	-	*	*	*	*	0.1	*	*	0.1	*	*	-	0.3
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	*	-	0.1
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	1.0
43	1-2	-	-	*	*	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
53	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	-	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	-	-	-	-	*	-	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	-	*	-	-	0.1
TOTAL, ALL-----		-	*	0.1	0.5	1.6	3.4	6.4	11.1	17.3	22.5	27.7	8.2	1.2	0.1	100.0
EXTRANEEOUS MATTER																Average Staple 35.6
Bark - Level 1	7.0															Percent Tenderable 63.9
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

177,197 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. — *South Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 5 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
31	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.4	1.5	4.2	7.3	4.7	0.9	*	*	-	19.0
	4	-	-	-	*	*	0.1	0.3	0.8	1.8	1.9	0.7	0.1	*	*	5.7
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.5	1.9	5.1	9.3	6.7	1.7	0.2	*	*	25.3
41	1-2	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.1
	3	-	-	*	*	*	0.3	1.8	7.5	14.1	7.2	1.5	0.1	*	*	32.4
	4	-	-	-	*	*	0.2	1.2	4.5	10.2	8.5	3.5	0.7	0.1	*	28.8
	5	-	-	-	*	*	0.1	0.2	0.6	1.2	1.1	0.8	0.3	*	*	4.4
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.1	0.6	3.2	12.8	25.6	16.9	5.9	1.0	0.1	*	66.3
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.4	0.3	0.1	*	*	-	-	1.0
	4	-	-	-	-	*	*	0.2	0.7	0.9	0.5	0.3	*	-	-	2.7
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	0.1	0.4	1.3	1.6	0.9	0.4	0.1	*	*	4.9
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
42	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.4	0.6	0.4	0.1	*	-	-	1.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	*	0.2

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	-	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	*	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
TOTAL, ALL-----		-	-	*	*	0.1	1.2	5.8	20.0	37.7	25.3	8.3	1.3	0.1	*	100.0	
EXTRANEEOUS MATTER																Average Staple 35.1 Percent Tenderable 78.5	
Bark - Level 1	0.4																
Bark - Level 2	*																
Grass - Level 1	0.7																
Grass - Level 2	*																
Prep - Level 1	0.1																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	-																

397,846 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. — *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	3	-	-	-	*	*	*	0.3	0.8	1.1	0.6	0.1	*	*	-	2.8
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.4	1.0	1.3	0.7	0.1	*	*	-	3.6
31	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	3	-	-	*	*	*	0.5	2.7	8.2	10.8	6.0	1.5	*	*	-	29.7
	4	-	-	-	*	*	0.1	0.6	2.8	6.5	6.0	2.1	0.1	*	*	18.2
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.5	3.5	11.3	17.6	12.3	3.7	0.2	*	*	49.1
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	1.1	3.3	4.6	3.3	1.0	*	*	-	13.6
	4	-	-	-	*	*	0.1	0.7	2.8	7.1	8.5	4.0	0.3	*	*	23.5
	5	-	-	-	-	*	*	*	0.2	0.6	1.1	0.7	0.1	*	*	2.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	0.3	1.9	6.3	12.4	13.0	5.9	0.4	*	*	40.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	*	-	-	1.3
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.6	0.7	0.3	*	*	*	2.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	4	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	1.4
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.5	0.4	*	*	-	1.5
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.6	0.8	0.6	*	*	-	2.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2

* Less than 0.05 percent.

Table 17. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.5
53	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL, ALL-----		-	-	*	*	0.1	1.0	6.2	19.9	33.1	28.1	10.9	0.7	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	0.2															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	0.4															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

1,305,108 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	0.1	0.3	0.6	1.3	2.5	3.5	3.0	0.5	0.1	*	11.9
	3	-	*	*	0.1	0.2	0.4	0.9	2.5	5.8	9.1	10.2	2.8	0.6	0.1	32.6
	4	-	*	*	*	*	*	0.1	0.2	0.5	0.9	1.0	0.3	0.1	*	3.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	TOTAL----	*	*	*	0.1	0.3	0.7	1.6	4.1	8.9	13.4	14.2	3.6	0.8	0.1	47.9
31	1-2	*	*	*	*	*	0.1	0.2	0.3	0.5	0.5	0.3	*	*	*	1.9
	3	*	*	*	*	0.1	0.4	1.1	2.7	4.5	5.6	5.8	1.7	0.4	*	22.4
	4	-	*	*	*	*	0.1	0.4	1.0	2.1	2.9	3.4	1.2	0.3	*	11.5
	5	-	*	*	*	*	*	0.1	0.1	0.3	0.4	0.5	0.1	*	*	1.6
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.2	0.6	1.7	4.2	7.3	9.4	10.0	3.1	0.7	0.1	37.4
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	0.2	0.4	0.5	0.5	0.4	0.1	*	*	2.1
	4	-	*	*	*	*	*	0.2	0.4	0.8	0.9	1.2	0.4	0.1	*	4.0
	5	-	*	*	*	*	*	0.1	0.1	0.2	0.4	0.5	0.2	*	*	1.5
	6	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	0.1	0.4	1.0	1.6	1.9	2.1	0.6	0.1	*	8.0
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*	0.8
61	1-2	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	3	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.3	0.2	*	*	*	1.3
	4	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	*	*	*	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.3	*	*	*	2.1
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
	4	*	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	0.1	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.6
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.3	0.2	0.2	*	*	*	*	1.0
52	1-2	-	-	*	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	-	-	-	-	*	*	*	*	*	-	-	*
	7	*	*	*	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		*	*	*	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	*	-	-	*	-	*	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	*	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL----		*	*	0.1	0.3	0.8	1.9	4.3	10.1	19.3	26.2	27.5	7.6	1.7	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		16.5														
Bark - Level 2		*														
Grass - Level 1		0.8														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		*														

5,443,281 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
31	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.9	2.4	2.4	1.2	0.1	*	-	7.2
	4	-	-	-	-	*	*	0.1	0.5	1.8	2.2	1.3	0.2	*	*	6.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	1.4	4.3	4.7	2.6	0.3	*	*	13.5
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	1.0	4.9	9.8	7.2	3.1	0.3	*	-	26.5
	4	-	-	-	*	*	*	0.6	4.1	14.8	16.3	7.2	1.0	*	*	44.0
	5	-	-	-	-	-	*	0.1	0.4	1.7	2.6	1.4	0.1	*	*	6.3
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	1.7	9.5	26.5	26.2	11.6	1.5	*	*	77.1
51	1-2	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.5	0.2	0.1	*	-	-	1.3
	4	-	-	-	-	-	-	*	0.5	1.2	0.8	0.2	*	-	-	2.8
	5	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	0.9	1.9	1.2	0.3	*	*	-	-	4.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.8
42	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	-	-	1.0
	4	-	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	0.7	1.2	1.1	0.3	*	*	-	-	3.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
February 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	-	-	-	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	*	*	0.1	2.3	12.6	34.4	33.6	15.1	1.9	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														Average Staple 35.5
Bark - Level 2		-														Percent Tenderable 86.8
Grass - Level 1		1.2														
Grass - Level 2		"														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

140,328 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through February 1, 2007

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	*	-	*	*	*	0.1	*	-
25	*	*	*	*	*	*	0.2	*	*
26	*	0.1	*	*	0.1	*	0.5	*	*
27	*	0.1	*	0.1	0.1	*	0.7	*	*
28	*	0.1	*	0.1	0.1	*	0.8	*	*
29	*	0.1	*	0.1	0.1	*	1.4	*	*
30	*	0.3	*	0.2	0.1	*	1.8	*	*
31	*	0.3	*	0.2	0.1	0.1	2.7	*	*
32	0.1	0.5	*	0.3	0.2	0.1	3.6	*	*
33	0.1	0.6	*	0.5	0.3	0.2	3.9	*	0.1
34	0.2	0.8	0.1	0.7	0.5	0.2	3.8	*	0.2
35	0.3	1.1	0.2	1.2	0.7	0.4	4.2	0.1	0.3
36	0.5	1.4	0.4	1.9	0.9	0.6	4.4	0.2	0.5
37	0.7	2.0	0.8	3.2	1.3	0.8	4.6	0.3	0.7
38	1.0	2.6	1.4	4.3	1.7	1.1	5.0	0.5	1.0
39	1.6	3.6	2.5	5.9	2.0	1.5	4.5	0.8	1.4
40	2.3	4.3	3.9	7.3	2.9	2.0	4.4	1.3	2.1
41	3.2	4.7	5.7	8.9	3.7	2.8	4.7	2.0	3.0
42	4.4	5.1	7.5	10.4	4.8	3.7	5.1	2.9	4.3
43	5.8	5.6	9.3	10.8	6.0	5.0	5.8	4.1	5.7
44	7.5	6.5	10.5	10.9	7.5	6.5	6.6	5.7	6.9
45	8.7	7.6	10.7	10.1	8.7	8.2	5.7	7.8	8.2
46	9.6	8.5	10.5	8.7	10.4	10.1	6.0	10.5	9.4
47	10.4	9.0	9.9	5.8	11.3	11.5	4.7	13.6	10.6
48	10.3	8.8	8.7	3.6	10.7	12.1	4.1	15.8	11.2
49	9.6	8.2	6.8	2.3	9.8	11.1	2.9	14.8	10.7
50	8.2	6.7	4.8	1.3	7.3	8.8	2.2	10.3	9.0
51	6.4	5.1	3.1	0.7	4.3	6.4	1.9	5.5	6.5
52	4.3	3.3	1.7	0.4	2.6	3.9	1.5	2.3	4.2
53	2.4	2.0	0.9	0.2	1.1	1.8	1.0	0.9	2.5
54	1.1	0.7	0.4	*	0.5	0.6	0.6	0.3	1.2
55	0.5	0.2	0.1	*	0.2	0.2	0.4	0.1	0.4
56	0.2	0.1	*	*	0.1	*	0.1	*	0.1
57	0.1	*	*	*	*	*	*	*	*
58	*	-	*	-	*	*	-	-	*
59	*	-	*	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	47	45	45	43	46	47	41	47	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	*	-	-
19	-	-	-	-	-	-	*	-	-
20	*	*	-	-	*	*	*	-	-
21	*	*	*	-	*	*	*	*	*
22	*	*	*	-	*	*	*	*	*
23	0.1	0.1	*	*	*	*	0.1	0.2	0.1
24	0.6	0.3	0.1	*	0.3	0.2	0.4	1.0	0.8
25	2.8	1.1	0.5	*	1.7	1.6	1.1	4.5	3.0
26	9.0	3.2	1.9	0.2	7.6	6.5	3.8	14.0	8.3
27	19.1	6.7	6.8	0.9	21.6	17.0	14.1	24.1	16.1
28	25.1	12.3	17.1	2.1	33.9	28.4	20.4	23.9	21.6
29	21.1	18.7	25.8	3.7	22.4	25.4	18.7	16.9	21.2
30	12.6	21.5	25.2	5.7	8.6	13.5	17.1	9.3	15.7
31	5.9	18.0	14.9	6.9	2.8	5.2	14.9	4.1	8.4
32	2.4	10.9	5.7	8.1	0.9	1.6	6.6	1.4	3.4
33	0.9	4.9	1.4	11.8	0.2	0.5	2.1	0.4	0.9
34	0.3	1.7	0.4	19.6	*	0.1	0.5	0.1	0.4
35	0.1	0.5	0.1	21.6	*	*	0.1	*	0.1
36 & above	*	0.1	*	19.4	*	*	*	*	*
Average strength	28.3	29.8	29.4	33.6	28.1	28.4	29.1	27.8	28.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through February 1, 2007

MIKE AND FIBER STRENGTH		MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE	24 & below	-	0.3	*	0.1	*	*	1.2	-	0.3
	25	*	0.2	*	0.1	*	*	0.9	-	0.3
	26	*	0.5	*	0.1	*	*	1.2	-	0.3
	27	*	0.7	*	0.2	*	*	1.6	-	0.5
	28	*	0.8	*	0.3	*	*	1.9	-	0.5
	29	0.1	1.0	*	0.3	*	*	2.2	*	0.6
	30	0.2	1.2	*	0.3	0.1	*	2.5	*	0.7
	31	0.3	1.9	*	0.4	0.1	*	2.8	*	0.8
	32	0.5	2.6	*	0.6	0.2	0.1	3.0	*	0.9
	33	0.8	4.3	*	0.7	0.2	0.1	3.3	*	1.1
	34	1.2	5.9	0.1	0.9	0.2	0.1	3.5	0.1	1.2
	35	1.6	7.4	0.2	1.1	0.5	0.2	3.7	0.2	1.4
	36	2.2	8.5	0.3	1.3	0.7	0.4	4.0	0.4	1.6
	37	3.1	8.9	0.5	1.6	1.0	0.6	4.3	0.8	2.0
	38	4.2	10.4	1.0	2.0	1.5	0.9	4.6	1.2	2.4
	39	5.4	10.5	2.0	2.4	2.2	1.4	5.0	2.2	3.0
	40	6.9	8.6	3.6	3.0	3.1	2.1	5.4	3.4	3.8
	41	8.1	7.5	5.9	3.8	4.3	3.2	5.8	5.5	4.8
	42	9.0	6.6	8.5	4.6	5.8	4.5	6.1	7.6	5.9
	43	9.6	4.9	10.4	5.4	7.3	6.1	6.2	10.0	6.9
	44	9.6	3.4	11.2	6.4	8.6	8.0	6.0	12.2	7.7
	45	9.3	1.8	11.3	7.7	9.6	9.7	5.5	13.0	8.2
	46	8.2	1.0	10.7	8.7	10.3	11.0	5.0	11.9	8.5
	47	6.9	0.7	9.7	9.5	10.3	11.7	4.2	10.1	8.6
	48	5.5	0.3	8.1	9.7	9.5	11.1	3.3	8.1	8.1
	49	3.5	0.1	6.3	8.8	8.2	9.4	2.5	5.8	7.0
	50	2.0	*	4.5	7.3	6.3	7.1	1.8	3.4	5.3
	51	1.0	*	2.9	5.3	4.7	4.8	1.1	2.0	3.5
	52	0.5	*	1.6	3.3	3.0	3.2	0.7	1.1	2.1
	53	0.2	*	0.7	1.9	1.5	2.0	0.4	0.6	1.1
	54	0.1	*	0.3	1.0	0.6	1.3	0.2	0.2	0.5
	55	*	-	0.1	0.6	0.1	0.6	0.1	*	0.2
	56	*	-	*	0.3	*	0.1	*	*	0.1
	57	*	-	*	0.1	*	*	*	*	*
	58	*	-	*	*	*	*	*	-	*
	59	-	-	-	*	-	*	*	-	*
	60 & above	-	-	-	*	-	-	*	-	*
Average mike		43	38	45	45	46	46	39	45	46
FIBER STRENGTH 1/	17 & below	-	-	-	*	-	-	*	-	*
	18	-	-	-	*	-	-	*	-	*
	19	-	-	-	*	-	-	*	-	*
	20	-	-	-	*	-	-	*	-	*
	21	-	*	-	*	-	-	0.1	-	*
	22	*	*	*	0.1	*	*	0.2	*	0.1
	23	*	0.2	*	0.2	*	*	0.6	*	0.2
	24	0.1	0.9	0.1	0.6	0.2	*	1.5	0.1	0.6
	25	0.3	3.1	0.5	1.4	0.9	0.3	3.2	0.4	2.0
	26	1.6	6.4	2.3	3.2	3.2	1.3	6.2	1.5	5.3
	27	5.8	8.5	7.8	6.1	8.9	4.6	10.0	5.5	11.1
	28	15.0	12.9	17.0	10.1	18.7	12.4	13.7	14.1	17.6
	29	25.2	17.6	24.2	12.8	25.2	23.0	16.6	23.6	20.5
	30	27.0	18.8	21.4	13.7	21.6	26.3	17.6	23.6	18.1
	31	16.4	12.8	13.9	13.8	12.5	18.6	15.0	16.0	12.1
	32	6.3	9.1	7.7	12.6	5.7	8.9	9.3	8.8	6.2
	33	1.8	5.7	3.6	10.2	2.2	3.3	4.1	4.4	2.8
	34	0.4	2.7	1.3	7.4	0.6	1.0	1.4	1.7	1.5
	35	0.1	1.1	0.2	4.5	0.1	0.2	0.4	0.3	1.0
	36 & above	*	0.1	0.1	3.2	*	*	0.1	0.1	0.8
Average strength		29.6	29.5	29.5	30.6	29.3	29.8	29.2	29.8	29.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through February 1, 2007

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	*	*	*	*	*
75.5-76.4	*	0.1	*	*	*	*	*	0.1	*
76.5-77.4	0.4	0.3	0.1	*	0.2	0.5	0.2	1.1	0.5
77.5-78.4	3.8	1.6	0.6	0.3	2.3	4.5	1.7	7.1	3.4
78.5-79.4	14.6	6.8	3.2	1.6	13.1	16.9	8.8	22.9	12.7
79.5-80.4	28.9	20.7	11.0	5.0	40.8	33.9	30.0	29.9	24.7
80.5-81.4	30.6	34.7	23.7	12.2	30.2	26.8	38.2	21.9	28.8
81.5-82.4	16.8	27.3	37.6	28.0	9.9	12.0	18.2	12.7	22.0
82.5-83.4	4.5	7.7	20.6	34.1	3.2	4.4	2.7	3.8	7.3
83.5-84.4	0.4	0.8	3.0	14.2	0.3	0.9	0.1	0.4	0.6
84.5-85.4	*	*	0.2	3.8	*	*	*	*	*
85.5-86.4	*	*	*	0.7	-	*	-	*	*
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	81.0	81.7	82.5	80.4	80.4	80.7	80.2	80.8
TRASH 2/									
0.0	-	*	*	*	-	-	-	*	*
0.1	1.6	33.5	0.5	21.4	0.4	0.8	0.9	3.1	1.6
0.2	15.2	44.2	5.5	42.9	10.0	14.0	9.0	19.8	11.0
0.3	29.1	14.5	17.2	21.5	30.2	30.9	18.3	30.1	20.5
0.4	24.8	3.9	23.9	8.1	30.2	25.7	16.5	21.1	20.6
0.5	15.1	1.7	21.6	3.2	17.4	15.0	16.0	12.7	16.7
0.6	6.9	0.8	15.1	1.4	7.5	7.9	12.6	6.6	12.3
0.7	3.7	0.6	8.6	0.7	2.7	3.1	9.7	3.4	7.7
0.8	1.7	0.3	4.5	0.4	1.1	1.5	5.8	1.7	4.7
0.9	0.8	0.2	1.5	0.2	0.3	0.5	4.1	0.7	2.1
1.0	0.5	0.1	0.8	0.1	0.1	0.3	2.3	0.4	1.3
1.1	0.3	0.1	0.4	0.1	0.1	0.2	1.5	0.2	0.8
1.2	0.2	*	0.2	*	*	0.1	0.9	0.1	0.4
1.3	0.1	*	0.1	*	*	*	0.6	*	0.1
1.4	0.1	*	*	*	*	*	0.4	*	0.1
1.5	*	*	*	*	*	*	0.3	*	*
1.6	*	*	*	*	-	*	0.2	*	*
1.7	*	*	*	*	*	*	0.2	*	*
1.8 & above	=	=	=	*	*	*	0.7	*	=
Average trash	0.39	0.21	0.48	0.24	0.40	0.39	0.53	0.37	0.47

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through February 1, 2007

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	-	-	*	-	-	*	-	*
75.5-76.4	-	*	-	0.2	-	-	0.3	-	0.1
76.5-77.4	*	0.1	*	0.8	*	*	1.1	*	0.5
77.5-78.4	0.1	1.5	0.2	3.1	0.8	0.1	3.5	*	2.6
78.5-79.4	0.5	7.6	1.5	8.8	5.5	0.6	9.7	0.5	8.9
79.5-80.4	3.0	16.5	6.9	19.0	19.3	3.7	20.6	3.3	18.8
80.5-81.4	14.0	32.5	21.0	28.6	35.0	15.6	30.4	14.5	25.5
81.5-82.4	36.0	26.6	36.6	25.1	28.2	35.6	24.6	37.1	25.7
82.5-83.4	37.3	12.6	27.1	11.8	9.8	33.3	8.6	35.4	14.4
83.5-84.4	8.7	2.3	6.4	2.4	1.4	10.1	1.2	8.5	3.1
84.5-85.4	0.6	0.2	0.4	0.2	0.1	0.9	0.1	0.6	0.3
85.5-86.4	*	-	*	-	*	*	*	*	*
86.5-87.4	-	-	*	-	-	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.3	81.2	82.0	81.1	81.2	82.3	80.9	82.3	81.2
TRASH 2/									
0.0	-	-	-	*	-	-	*	-	*
0.1	0.1	11.9	*	11.2	0.1	0.4	7.3	*	4.3
0.2	3.5	38.4	2.0	29.8	5.1	7.3	26.4	1.2	16.4
0.3	14.4	27.2	11.7	25.2	21.0	19.9	25.3	9.0	22.5
0.4	22.9	11.7	19.8	13.0	24.2	24.2	16.4	18.4	20.0
0.5	23.2	6.0	23.3	8.6	20.9	20.4	10.3	24.6	15.2
0.6	17.1	2.8	18.0	4.9	13.3	13.5	6.1	20.5	9.8
0.7	10.2	1.2	11.4	3.0	7.4	7.5	3.6	13.2	5.6
0.8	5.2	0.5	6.4	1.6	3.9	3.8	2.0	7.1	3.0
0.9	1.7	0.2	3.2	1.0	1.9	1.3	1.1	3.1	1.3
1.0	0.9	0.1	1.7	0.6	1.0	0.7	0.6	1.4	0.7
1.1	0.4	*	1.0	0.4	0.6	0.4	0.4	0.8	0.4
1.2	0.2	*	0.6	0.2	0.3	0.2	0.2	0.4	0.2
1.3	0.1	*	0.3	0.1	0.1	0.1	0.1	0.1	0.1
1.4	*	*	0.2	0.1	0.1	*	0.1	0.1	0.1
1.5	*	*	0.1	0.1	*	*	*	*	*
1.6	*	*	0.1	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	0.2	0.1	*	*	*	*	*
Average trash	0.51	0.28	0.55	0.33	0.48	0.47	0.36	0.56	0.41

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through February 1, 2007

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	7.9	1.2	*	0.1	1.2
	2	12.3	1.8	0.3	0.3	1.9
	3	*	*	*	-	*
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		20.2	3.0	0.3	0.4	3.1
02	1	4.9	2.4	*	0.9	2.3
	2	67.4	65.6	36.3	69.1	65.0
	3	1.7	13.9	42.0	5.0	13.9
	4	-	0.5	0.7	-	0.4
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		74.0	82.4	79.0	75.0	81.7
03	1	-	*	*	*	*
	2	2.2	4.7	2.5	18.0	5.4
	3	1.4	7.2	15.2	5.2	7.2
	4	0.1	1.1	2.7	*	1.1
	5	*	0.1	*	-	0.1
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		3.8	13.2	20.5	23.3	13.8
04	1	-	*	-	-	*
	2	0.8	0.2	*	0.1	0.2
	3	0.5	0.6	0.1	0.1	0.5
	4	0.1	0.4	0.1	0.1	0.3
	5	0.3	0.1	-	*	0.1
	6	*	*	-	-	*
	7	-	*	-	-	*
Total -----		1.7	1.2	0.2	0.3	1.1
05	1	-	-	-	-	-
	2	0.1	*	-	-	*
	3	0.1	0.1	-	0.1	0.1
	4	-	0.1	-	0.5	0.1
	5	0.1	*	-	*	*
	6	*	*	-	-	*
	7	*	-	-	-	*
Total -----		0.3	0.2	-	0.6	0.2
06	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	*	*
	4	-	*	-	0.2	*
	5	-	*	-	*	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	*	-	0.3	0.1
07	1	-	-	-	-	-
	2	-	*	-	*	*
	3	*	*	*	-	*
	4	-	*	-	*	*
	5	-	*	-	*	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		*	*	*	*	*
STAPLE						
40 & shorter		-	-	-	-	-
42		-	*	*	0.2	*
44		17.8	1.4	5.1	16.6	2.8
46		40.8	19.1	48.3	59.1	22.8
48 & longer		41.4	79.5	46.5	24.1	74.4
Average		46.5	48.0	46.9	46.2	47.8
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	*	-	-	*
78.5-79.4		-	*	*	*	*
79.5-80.4		-	*	*	0.1	*
80.5-81.4		0.1	0.3	0.2	0.4	0.3
81.5-82.4		1.0	1.5	1.7	2.0	1.5
82.5-83.4		5.2	5.4	8.2	8.2	5.6
83.5-84.4		19.7	15.3	23.8	23.7	16.2
84.5-85.4		39.7	37.3	35.8	36.8	37.3
85.5-86.4		21.2	30.6	23.3	22.0	29.7
86.5-87.4		10.3	8.4	6.4	6.0	8.2
87.5-88.4		2.7	1.2	0.5	0.8	1.2
88.5-89.4		0.1	*	*	*	*
89.5 & above		*	*	-	-	*
Average		85.2	85.2	84.9	84.9	85.2
BALES CLASSED		12,773	592,218	18,420	41,435	664,846

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through February 1, 2007

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	*	-	-	*
27 - 29	0.1	1.0	0.4	0.2	0.9
30 - 32	0.5	3.2	3.3	3.5	3.2
33 - 34	0.7	2.0	6.1	4.9	2.3
35 - 36	4.5	3.5	13.6	10.1	4.2
37 - 42	75.8	72.0	59.5	63.5	71.2
43 - 49	18.5	18.1	17.2	17.8	18.1
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
Average	41	40	39	39	40
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	*	-	*
26	-	*	*	-	*
27	-	0.1	*	*	0.1
28	*	0.3	0.1	*	0.3
29	0.1	0.6	0.3	0.1	0.5
30	0.2	1.0	0.7	0.5	0.9
31	0.2	1.1	1.0	1.2	1.1
32	0.1	1.1	1.5	1.8	1.2
33	0.2	1.1	2.2	2.4	1.2
34	0.5	1.0	3.8	2.6	1.1
35	1.4	1.2	5.8	4.0	1.5
36	3.1	2.3	7.8	6.1	2.7
37	4.3	4.4	10.4	9.4	4.8
38	6.0	7.7	11.5	11.3	8.0
39	13.0	12.1	11.1	12.8	12.1
40	16.4	15.5	10.3	12.1	15.1
41	19.3	16.9	8.7	10.2	16.3
42	16.7	15.5	7.4	7.7	14.8
43	11.1	10.7	6.4	6.1	10.3
44	5.0	5.4	4.9	4.6	5.3
45	1.8	1.7	3.5	3.3	1.8
46	0.4	0.3	1.8	2.1	0.5
47	0.1	0.1	0.5	1.1	0.1
48	*	*	0.1	0.5	*
49	*	*	*	0.2	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	41	40	39	39	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	*	*	*	*
29	-	*	*	*	*
30	*	*	*	*	*
31	-	*	0.1	0.1	*
32	*	0.1	0.3	0.5	0.2
33	0.8	0.4	1.2	1.3	0.5
34	3.1	1.0	3.3	3.1	1.2
35	6.1	1.8	6.2	6.0	2.3
36	7.3	2.8	9.9	10.3	3.5
37	9.8	4.8	14.1	15.9	5.8
38	12.2	8.6	15.4	18.5	9.5
39	16.0	14.2	15.3	16.1	14.4
40	17.2	17.9	13.5	12.7	17.4
41	11.5	18.4	10.1	7.9	17.4
42	6.8	14.5	6.1	4.2	13.5
43	4.6	8.8	2.9	2.0	8.1
44	2.9	4.3	1.2	0.8	4.0
45 & above	1.8	2.4	0.5	0.5	2.2
Average	39.1	40.3	38.5	38.2	40.1
EXTRANEEOUS MATTER					
Bark	0.9	0.2	1.6	2.5	0.4
Grass	2.5	0.1	0.2	0.2	0.2
Spindle Twist	1.2	0.1	*	*	0.1
Preparation	*	0.3	-	*	0.3

* Less than 0.05 percent.



1022892970